Configuring Windows & Installing the Melco Software

Table of Contents

Configuring the Windows Environment	Error! Bookmark not defined.
Configuring the Windows Environment	1
Configuring the Windows 8 Environment	2
Adjusting the User Account Controls in Windows 8	2
Configuring the Windows 8 Network Environment	5
Configuring the Windows 7 Environment	
Adjusting the User Account Controls in Windows 7	
Configuring the Windows 7 Network Environment	
Configuring the Windows Vista Environment	
Adjusting the User Account Controls in Windows Vista	
Configuring the Windows Vista Network Environment	21
Configuring the Windows XP Environment	
Configuring the Windows XP Network Environment	
Loading the Software	Error! Bookmark not defined.
Loading the Software	
Security Keys (Dongles)	
Installing the Software	
Run the Setup	
Install the Security Key Drivers	
Install AMAYA OS	
Install DesignShop	
Security Keys	51
AMAYA OS Software Levels	

Configuring the Windows Environment

Configuring your Windows environment will require slightly different steps depending on your Windows operating system. All Windows environments will require the adjustment of the network bindings. This will optimize the communication between the PC and the AMAYA.

Please follow the steps for your operating system.

- ☑ Windows 8
- ☑ Windows 7
- ✓ Windows Vista
- ☑ Windows XP

Windows RT does not allow the loading of software other than apps from the Windows Store. It will not work with DesignShop or AMAYA OS.

Configuring the Windows 8 Environment

Configuring the Windows environment will require two actions.

- 1. Adjusting the User Account Controls (UAC)
- 2. Configuring the network environment

The following sections will walk you through both parts and enable the computer and AMAYA to communicate more efficiently.

Because this portion of the setup will require you to restart your computer, you can download these instructions and print them off to have easier access for the configuration of the Windows environment and loading of Melco software.

Adjusting the User Account Controls in Windows 8

Adjusting the User Account Controls in Windows & allows for better communication between DesignShop and AMAYA OS.

1. From the start screen in metro mode, right-click on the background and select **All apps** from the bar across the bottom of the screen.



2. Scroll over and select the Control Panel under "Windows System".



- 3. Within Control Panel, you may set your view by "Category", "Large Icons" or "Small Icons".
 - If in "Category View", click on User Accounts and in the next window, click on User Accounts again.



o If in either of the icon views, click on **User Accounts**. You may have to scroll to find



4. Click on Change User Account Control settings.



5. Move the slider all the way down to "Never Notify", then click OK.

Tell mem	sont Centrel	helps prevent potentially harmful programs from making changes to yo er Account Control satting	ur computer.
-	-	Never notify me when:	
-	-	Apps by to install software or make changes to my computer Imake changes to Windows settings	
æ			
-0	TŞ [−] notify	Not recommended.	
THEYE	nguny		

6. The User Account Control settings have now been adjusted.

Configuring the Windows 8 Network Environment

1. From the start screen in metro mode, right-click on the background and select **All apps** from the bar across the bottom of the screen.



2. Scroll over and select the **Control Panel** under "Windows System".



- 3. Within Control Panel, you may set your view by "Category", "Large Icons" or "Small Icons".
 - $\circ~$ If in "Category View", click on <code>View network status and tasks</code> under

"Network and Internet".



 If in either of the icon views, click on **Network and Sharing Center**. You may have to scroll to find it.



4. Click on Change Adapter Settings.



5. Right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



6. Click on **Configure**.

Wired Ethernet Connection 2 Properties
Networking Sharing
Connect using:
Realtek RTL8139/810x Family Fast Ethemet NIC
This connection uses the following items:
 Client for Microsoft Networks QoS Packet Scheduler File and Printer Sharing for Microsoft Networks Microsoft Network Adapter Multiplexor Protocol Microsoft LLDP Protocol Driver Link-Layer Topology Discovery Mapper I/O Driver Link-Layer Topology Discovery Responder
Install Uninstall Properties
Description Allows your computer to access resources on a Microsoft network.
OK Cancel

7. Click on the **Advanced Tab**.



8. In the Advanced tab under properties, select the item labeled with "Speed & Duplex" (the exact wording may vary). Under "Value", select 10Mbps/Half Duplex. Here too, the wording may vary from "10mb half duplex" to "10mb Half" or other potential variations, however, all should have a "10" followed by "Mb" or "Mbps" and "Half".

Realtek RTL8139	/810x Family Fas	st Ethernet NI	C Prope 💌
	x Mode	About this network adapte	its value ation - Il Duplex If Duplex
Neceive Burfer St Shutdown Wake- Wake-On-Lan Cap WakeUp on ARP, WakeUp on Link WakeUp using AF	Dn-Lan babilities /PING Change	10Mbps/Hal Auto Negotia OK	f Duplex

9. Click on the Power Management tab, and uncheck the box for "Allow the computer to turn off this device to save power". Then, click **ox**.

Realtek RTL8139	/810x Family Fas	st Ethernet NI	C Prope 💌		
General	Advanced	About	Driver		
Details	Events	Power Ma	anagement		
Realtek F	RTL8139/810x Family	Fast Ethernet NIC			
Allow the comp	uter to turn off this devi	ice to save power			
Allow this device to wake the computer					
Only allow a magic packet to wake the computer					
Warning: If this is a laptop computer and you run it using battery power, allowing the network adapter to wake the computer could drain the battery more quickly. It might also cause the laptop to become very hot if it wakes up while packed in a carrying case.					
		ОК	Cancel		

10. Once again, right-click on the Ethernet adapter for your AMAYA network and select **Properties**.

9		Network Con	nections			0	0	*
	🕎 😰 « Network and internet	Network Connections	, ,	49	Search Na	twork Conne	ctions	F
Organize *	Disable this network device	Diagnose this connection	on Rename this con	nection		¢	11	
-	Vired Ethemet Connection nelcolocal 2 Iroadcom Net/Oreme 57m Gigabi	Wired Ethenet Notwork Colle Realter RTU 6						
2 items 1	l item selected			-				

11. Under the Networking tab, make sure that all entries in the "This connection uses the following items:" box are unchecked. Then, click **or**.

Wired Ethernet Connection 2 Properties				
Networking Sharing				
Connect using:				
Realtek RTL8139/810x Family Fast Ethernet NIC				
Configure				
This connection uses the following items:				
Client for Microsoft Networks				
QoS Packet Scheduler				
Eile and Printer Sharing for Microsoft Networks				
A Microsoft Network Adapter Multiplexor Protocol				
Microsoft LLDP Protocol Driver				
□ - Link-Layer Topology Discovery Mapper I/O Driver				
🗆 🛶 Link-Layer Topology Discovery Responder 🛛 👻				
Install Uninstall Properties				
Description				
Allows your computer to access resources on a Microsoft				
network.				
OK Cancel				

12. The Windows network environment has now been configured for your AMAYA.

Configuring the Windows 7 Environment

Configuring the Windows environment will require two actions.

- 1. Adjusting the User Account Controls (UAC)
- 2. Configuring the network environment

The following sections will walk you through both parts and enable the computer and AMAYA to communicate more efficiently.

Because this portion of the setup will require you to restart your computer, you can download these instructions and print them off to have easier access for the configuration of the Windows environment and loading of Melco software.

Adjusting the User Account Controls in Windows 7

Adjusting the User Account Controls in Windows & allows for better communication between DesignShop and AMAYA OS.

1. Click on the Windows Start Menu and select the Control Panel.



- 2. Within Control Panel, you may set your view by "Category", "Large Icons" or "Small Icons".
 - If in "Category View", click on **User Accounts** and in the next window, click on **User Accounts** again.

-9 • Control Panel	•	4y Stern Cedra Panel
Adjust your comp	outer's settings	View by Collegory *
Rever you Sect up yo Find and D Was not be Obcort he options Hardwar	15 program	User Accounts Change accounts Appearance and Appearance and the second
		Let Wedows suggest settings
		100
· R + Control Panel	User Accounts	• 4 Stante Cardra Fanal
ord Panel Home		Contractions and the computer Scourds
are and Sound	Windows (Manage Inform	CardSpace nation Cards that are used to log on to ordine services
arra Accounts	Credential Meners Wood	Manager
tance and	and the second second	
nalization Language, and Region	Mail (32-b	(1)

o If in either of the icon views, click on **User Accounts**. You may have to scroll to find



3. Click on Change User Account Control settings.



4. Move the slider all the way down to "Never Notify", then click **or**.

		I helps prevent potentially harmful programs from making changes to your computer. <u>Net Account Control settings</u>
Alway	s notify	
-	-	Never notify me when:
		 Programs try to install software or make changes to my computer
2	5	I make changes to Windows settings
-	10	
-6	12	Not recommended. Choose this only if you need to use programs that are not certified for Windows 7 because they do not support User Account Control.
Neve	notify	

5. The User Account Control settings have now been adjusted.

Configuring the Windows 7 Network Environment

1. Click on the Windows Start Menu and select the Control Panel.



- 2. Within Control Panel, you may set your view by "Category", "Large Icons" or "Small Icons".
 - If in "Category View", click on View network status and tasks under "Network and Internet".



 If in either of the icon views, click on **Network and Sharing Center**. You may have to scroll to find it.



3. Click on Change Adapter Settings.



4. Right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



5. Click on **Configure**.

🖞 Local Area Connection 2 Properties	×
Networking Sharing	
Connect using:	
NETGEAR FA311v2 PCI Adapter	
Configure This connection uses the following items:	- C
 ✓ Client for Microsoft Networks ✓ QoS Packet Scheduler ✓ Pile and Printer Sharing for Microsoft Networks ✓ Internet Protocol Version 6 (TCP/IPv6) ✓ Internet Protocol Version 4 (TCP/IPv4) ✓ Link-Layer Topology Discovery Mapper I/O Driver ✓ Link-Layer Topology Discovery Responder 	
Install Uninstall Properties Description Allows your computer to access resources on a Microsoft network.	
OK Can	cel

6. Click on the Advanced Tab.



7. In the Advanced tab under properties, select the item labeled with "Speed & Duplex" (the exact wording may vary). Under "Value", select 10Mbps/Half Duplex. Here too, the wording may vary from "10mb half duplex" to "10mb Half" or other potential variations, however, all should have a "10" followed by "Mb" or "Mbps" and "Half".

NETGEAR FA311v2 PCI Adapter Proper	ties
General Advanced Driver Details	Power Management
The following properties are available fo the property you want to change on the on the right.	
Property:	Value:
Link Down Power Saving	10Mbps/Half Duplex
Link Speed/Duplex Mode Network Address Optimal Performance Receive Buffer Size	100Mbps/Full Duplex 100Mbps/Half Duplex 10Mbps/Full Duplex 10Mbps/Half Duplex Auto Negotiation
	OK Cancel

8. Click on the Power Management tab, and uncheck the box for "Allow the computer to turn off this device to save power". Then, click **or**.

NETGEAR FA311v2 PCI Adapter Properties
General Advanced Driver Details Power Management
NETGEAR FA311v2 PCI Adapter
Allow the computer to turn off this device to save power
Allow this device to wake the computer
Only allow a magic packet to wake the computer
Waming: If this is a laptop computer and you run it using battery power, allowing the network adapter to wake the computer could drain the battery more quickly. It might also cause the laptop to become very hot if it wakes up while packed in a canying case.
OK Cancel

9. Once again, right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



10. Under the Networking tab, make sure that all entries in the "This connection uses the following items:" box are unchecked. Then, click **oκ**.

Networking Sharing Connect using:		
	311v2 PCI Adapter	î
This connection use	s the following items:	Configure
QoS Packe Record Price Record	crosoft Networks It Scheduler Inter Sharing for Microsoft Itocol Version 6 (TCP/IP) Itocol Version 4 (TCP/IP)	/6)
	Topology Discovery Map Topology Discovery Resp	per I/O Driver
	Topology Discovery Map	per I/O Driver
Install Description	Topology Discovery Map	per I/O Driver bonder Properties

11. The Windows network environment has now been configured for your AMAYA.

Configuring the Windows Vista Environment

Configuring the Windows environment will require two actions.

- 1. Adjusting the User Account Controls (UAC)
- 2. Configuring the network environment

The following sections will walk you through both parts and enable the computer and AMAYA to communicate more efficiently.

Because this portion of the setup will require you to restart your computer, you can download these instructions and print them off to have easier access for the configuration of the Windows environment and loading of Melco software.

Adjusting the User Account Controls in Windows Vista

Adjusting the User Account Controls in Windows & allows for better communication between DesignShop and AMAYA OS.

1. Click on the Windows Start Menu and select the Control Panel.



- 2. Within Control Panel, you may set your view by "Control Panel Home" or "Classic View".
 - If in "Control Panel Home", click on User Accounts and in the next window, click
 On User Accounts again.



o If "Classic View", click on User Accounts. You may have to scroll to find it.



3. Click on Turn User Account Control on or off.



4. Uncheck "Use User Account Control (UAC) to help protect computer", then click or.

Edit View To	ols Help		
Tom on U	ser Account Control (UAC) to ma	ike your computer	r more secure
	Control (UVC) can help prevent unauthor C turned on to help protect your compute		reputer. We recommend that
Use User A	iccount Control (UAC) to help protect you	r computer	
			OK Canod
			OK Cancel

5. The User Account Control settings have now been adjusted.

Configuring the Windows Vista Network Environment

1. Click on the Windows Start Menu and select the Control Panel.



- 2. Within Control Panel, you may set your view by "Control Panel Home" or "Classic View".
 - If in "Control Panel Home", click on View network status and tasks under "Network and Internet".



• If in "Classic View", click on **Network and Sharing Center**. You may have to scroll to find it.



3. Click on Manage network connections.



4. Right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



5. Click on **Configure**.

📮 Local Area Connection Properties
Networking
Connect using:
🔮 Broadcom NetXtreme 57xx Gigabit Controller
This connection uses the following items:
 Client for Microsoft Networks QoS Packet Scheduler File and Printer Sharing for Microsoft Networks Internet Protocol Version 6 (TCP/IPv6) Internet Protocol Version 4 (TCP/IPv4) Internet Protocol Version 4 (TCP/IPv4) Link-Layer Topology Discovery Mapper I/O Driver Link-Layer Topology Discovery Responder
Install Uninstall Properties
Description Allows your computer to access resources on a Microsoft network.
OK Cancel

6. Click on the **Advanced Tab**.

In the Advanced tab under properties, select the item labeled with "Speed & Duplex" (the exact wording may vary). Under "Value", select 10Mbps/Half Duplex. Here too, the wording may vary from "10mb half duplex" to "10mb Half" or other potential variations, however, all should have a "10" followed by "Mb" or "Mbps" and "Half".

General	Advanced	Driver	Details	Powe	r Management		
	perty you war ight.			e left, ar	etwork adapte nd then select i Value:		
	Send Offload	v2 (IPv4	i)		Auto 10 Mb Full		•
TCP/L	Large Send Offload v2 (IPv4) Speed & Duplex TCP/UDP Checksum Offload (IPv6) Wake Up Capabilities			10 Mb Haf 100 Mb Ful 100 Mb Half Auto	G		
-							

7. Click on the Power Management tab, and uncheck the box for "Allow the computer to turn off this device to save power". Then, click **ox**.

General	Advanced	Driver	Details	Power	Managem	ent	
2	Broadcom	NetXtrem	e 57% cG	igabit Co	ntroller		
Allon	w the compu	ter to tum	off this d	levice to :	save pow	er,	
Allon	w this device	to wake	the comp	uter.			
0	nly allow mar	nagement	stations	to wake t	he compi	iter.	
cause t you trav	g: Allowing th his computer rel with this o ture as the m ery.	to period	ically wał	ceup to re n a batter	freshits r y, you shi	network ould not	state. If tum on

8. Once again, right-click on the Ethernet adapter for your AMAYA network and select **Properties**.

File Edi	t View Tor	ols Advanced Help			-
🐚 Organia	e = 📲 Vie	w 🔹 💥 Disable this network dev	ice 🕒 Diagnosethis c	onnection	• •
Name	Status	Device Name Connectivity	Network Category	Owner	T
LAN or Hig	h-Speed Intern	et (1)			~
	ocal Area Conn				
	nidentified net realizion Net/II		12		
- 40× 12	ipatrictimi retu	Status			
		Diagnose			
		Liagnose			
		Bridge Connections			
		Create Shortcut			
		Delete			
		Rename			
		The second se			
		Properties			
		4	5. C		

9. Under the Networking tab, make sure that all entries in the "This connection uses the following items:" box are unchecked. Then, click **or**.

Broadcom 1	NetXtreme 57xx Gigabit Co	ntroller
		Configure
his connection u	ses the following items:	
	Microsoft Networks	
Gos Pac	ket Scheduler Printer Sharing for Microsof	t Naturadra
	Inite stanged in microsol	L INCLINUING
internet f	Protocol Version 6 (TCP/IP	
- Internet i	Protocol Version 4 (TCP/IP	∿6) ∿4)
 Internet I Ink-Laye 	Protocol Version 4 (TCP/IP er Topology Discovery Mag	∿6) ∿4) oper I/O Driver
 Internet I Ink-Laye 	Protocol Version 4 (TCP/IP	∿6) ∿4) oper I/O Driver
 Internet I Ink-Laye 	Protocol Version 4 (TCP/IP er Topology Discovery Mag	∿6) ∿4) oper I/O Driver
	Protocol Version 4 (TCP/IP er Topology Discovery Mag er Topology Discovery Res	∨6) ∨4) pper I/O Driver sponder
Install	Protocol Version 4 (TCP/IP er Topology Discovery Mag er Topology Discovery Res	v6) v4) sponder Properties

10. The Windows network environment has now been configured for your AMAYA.

Configuring the Windows XP Environment

Because this portion of the setup will require you to restart your computer, you can download these instructions and print them off to have easier access for the configuration of the Windows environment and loading of Melco software.

Configuring the Windows XP Network Environment

1. Click on the Windows Start Menu and select the Control Panel.



- 2. Within Control Panel, you may set your view by "Category" or "Classic View"..
 - If in "Category View", click on Network and Internet Connections. Then click
 Network Connections.



o If in "Classic View", click on **Network Connections**. You may have to scroll to find



3. Right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



4. Click on **Configure**.

🗕 Local Area Connection Properties 🛛 🕐	×
General Advanced	_
Connect using:	
Intel 21140-Based PCI Fast Ethernet Configure	
This connection uses the following items:	2.
 Client for Microsoft Networks File and Printer Sharing for Microsoft Networks QoS Packet Scheduler Internet Protocol (TCP/IP) 	
Install Uninstall Properties Description Allows your computer to access resources on a Microsoft network.	j
 Show icon in notification area when connected Notify me when this connection has limited or no connectivity 	
OK Cancel	5

5. Click on the Advanced Tab.

In the Advanced tab under properties, select the item labeled with "Speed & Duplex" (the exact wording may vary). Under "Value", select 10Mbps/Half Duplex. Here too, the wording may vary from "10mb half duplex" to "10mb Half" or other potential variations, however, all should have a "10" followed by "Mb" or "Mbps" and "Half".

Intel 21140-Based PCI Fast Ether	rnet Adapter (Generi 🕐 🔀
General Advanced Driver Resource The following properties are available for the property you want to change on the on the right. Property: Flow Control Speed & Duplex Wake Up Capabilities	ces Power Management or this network adapter. Click
L	OK Cancel

6. Click on the Power Management tab, and uncheck the box for "Allow the computer to turn off this device to save power". Then, click **ox**.

Intel 21140-Based PCI Fast Ethernet Adapter (Generi 🕐 🔀
General Advanced Driver Resources Power Management
Intel 21140-Based PCI Fast Ethernet Adapter
Allow the computer to turn off this device to save power.
Allow this device to bring the computer out of standby.
Only allow management stations to bring the computer out of standby.
Warning: Allowing this device to bring the computer out of standby may cause this computer to periodically wakeup to refresh its network state. If you travel with this computer or run it on a battery, you should not turn on this feature as the machine may awaken at inopportune times or consume the battery.
OK Cancel

7. Once again, right-click on the Ethernet adapter for your AMAYA network and select **Properties**.



8. Under the General tab, make sure that all entries in the "This connection uses the following items:" box are unchecked. Then, click **ox**.

Connect using:	
Intel 21140-Based PCI Fast Eth	ernet Configure
his connection uses the following ite	ms:
Client for Microsoft Networks File and Printer Sharing for M QoS Packet Scheduler Internet Protocol (TCP/IP)	
Install Uninsta	I Properties
Description Transmission Control Protocol/Inter wide area network protocol that pro across diverse interconnected netw	ovides communication
Show icon in notification area whe Notify me when this connection ha	The second s

9. The Windows network environment has now been configured for your AMAYA.

Loading the Software

Loading the software onto the PC requires the use of a DVD drive. Once the DVD is inserted, the software installer will usually walk you through the loading process step by step.

Because this portion of the setup will require you to restart your computer, you can download these instructions and print them off to have easier access for the configuration of the Windows environment and loading of Melco software.

Security Keys (Dongles)

When looking at the DVD, understand that it contains many different programs from Melco. If you purchased DesignShop Pro+, but the disk only says "DesignShop", do not worry. All levels of the software are contained on the disk. It is the security key, or dongle, that controls the level. The security keys will be asked for during the installation process. However, not all levels of software require the dongles.

Installing the Software

To install the AMAYA OS software, insert the DVD into the DVD drive of your PC. Most PCs will automatically run the DVD and begin the installer. From here, walk through the steps as prompted by the installer.

Run the Setup

1. If the DVD did not begin running, an AutoPlay window will pop up. Choose the "Run setup.exe" from the options provided.



Install the Security Key Drivers

If this is the first time installing the software, a window will pop up asking about security keys. If your level of software requires security keys and they came with your software, click Yes. If you are not running software that requires a security key, click No.



 A warning will pop up asking you to attach the security key(s). When you attach them to your computer, the computer may try to automatically load drivers. Should any "Hardware Found" notices occur, please cancel them.



3. Attach your security key(s). The keys will be labeled with a tag. The tag will specified which software it is for and the serial number.



4. If a "Hardware Found" notice should occur, please cancel it or close it.


5. A question window will pop up asking you to verify that you attached the security keys. Click **Yes**.



6. A warning will pop up stating that the install process will begin. Click **or** to begin the installation.

Warning	×
	The security key device driver will now be installed. When finished, please reboot the PC and start the install process again.
	ОК

7. If a window stating that the program might not have installed correctly pops up, please cancel it.

This program might not have installed correct	y
If this program didn't install correctly, try reinstalling using s are compatible with this version of Windows.	ettings that
Program: InstallShield (R) Setup Launcher Publisher: InstallShield Software Corporation Location: D:\Setup.exe	
Reinstall using recommended settings	
This program installed correctly	
	Cancel
What settings are applied?	-0

8. In the Sentinel Protection Installer window, click **Next** > to begin the installation of the security key drivers.

	Welcome to the InstallShield Wizard for Sentinel Protection Installer 7.5.0
Sentinel.	The InstallShield(R) Wizard will install Sentinel Protection Installer 7.5.0 on your computer. To continue, click Next.

9. Continue the installation process.



10. Click **Finish** to complete the installation of the drivers, and exit the wizard.



11. Restart your computer before installing the rest of your software.

Install AMAYA OS

Once the computer has been restarted, you may continue installing software.

- 1. If the DVD did not begin running, eject and reinsert it. An AutoPlay window should pop up. Choose the "Run setup.exe" from the options provided.
- 2. In a new installation of Windows 8, you may be asked to install the .NET Framework. Please choose to "Download and install this feature".



3. In the setup window, check only the software that you purchased from Melco. Note that the software names are not level-specific. Placing a check mark beside "AMAYA - AMAYA OS" will load AMAYA OS Lite, SE, or Flex+ depending on the presence or level of your security keys. The same applies for DesignShop.

Since you are installing AMAYA OS, make sure that is checked. If you purchased and would like to install DesignShop as well, check that too.

Select the applications you wish	n to install
One or more applications may be inst checkbox	tailed by placing a checkmark in the correponding
AMAYA - AMAYA OS and the AM	MAYA machine operation software
Bog Shop Demo - Demonstrat ENS - A tool for sending designs Melco Sizer - A freely distributed :	from Design Shop to embroidery machines
ENS - A tool for sending designs	from Design Shop to embroidery machines

- 4. Click Next >.
- 5. A setup confirmation window will appear. Click **Next** > to begin installation.

etup Waiting for confirmation	
Setup will begin installing your appl	ications once the Next button is pressed.
nstalfShield	

6. The AMAYA OS InstallShield Wizard will start. Click **Next** > to continue.

	Welcome to the InstallShield Wizard for AMAYA OS
	The InstallShield® Wizard will install AMAYA OS on your computer. To continue, click Next.
BI	< Back Next > Cancel

7. Read and Agree to the license agreement by clicking Yes.



8. Select the options you want to install. It is recommended to install the Program Files and the Sample Designs. Click **Next** >.

Select Components	
Select the options you want to i	install
Select components to install	
Program Files (Installs the file	et required to run the AMAYA product)
section of the sectio	es required to run the AMAYA product) rple embroidery designs for your AMAYA machine)
station of the state of the sta	
statistics of the second s	
statistics of the second s	rple embroidery designs for your AMAYA machine)

9. Select if you want to install the software for just you or everybody who logs into the computer. Click **Next** >.

Setup Type			
Choose the setup type that be	it suits your needs.		
Do you want to install this soft	vare for:		
← Just Me			
Everyone			
talShirld			
	< Back	Next>	Cancel

10. Confirm the installation location. Melco recommends the default location. Click Next >.

Setup	0.00	X
Choose Destination Location		
Select folder where Setup will install files.		
Setup will install AMAYA OS in the following t	folder.	
Destination Folder		
C:\Program Files (x86)\Melco\AMAYA v10		Browse
nstallSheld		
	< Back	Next> Cancel
	- Deal	Nexts Count

11. Confirm the design installation location. Melco recommends the default location. Click Next >.

Choose Destination Location	
Select folder where Setup will inst	tal files.
Setup will install Sample Designs	in the following folder.
Destination Folder	

12. Review the chosen settings and click **Next** > to continue and begin the file copying.

Start Copying Files		
Review settings before copying file	H.	A
	tart copying the program files. If you want to review If you are satisfied with the settings, click. Next to be	
etalSheld		

13. An "Extracting Files" window will pop up.

Extracting Files	×
Extracting File: To Directory:	.\install.exe c:\7db5f3ec9877205dcd50f44fe6b7

14. If SQL Server is installed on your computer, the next few steps will be skipped. If not, SQL Server will be installed as described. In Windows 8, you may see a window that explains some compatibility issues. Check the box to prevent the message from appearing again and select "Run the program without getting help".

Program Compatibility Assistant	×
This program has compatibility issues	
Microsoft SQL Server 2005 Microsoft	
You can get help online and see more information about this program's compatibility issues.	
→ Get help online	
Run the program without getting help	
✓ Don't show this message again Close	

15. The installation pop up will inform you that the SQL Server is about to be installed. It is important to accept the default settings through the rest of the installation. Click **oκ**.

	ss will now be installed. During it's installation ions as suggested by the installer.
rease accept the deladit condit	to a suggested by the installer.

16. Read and Agree to the license agreement by checking the box and clicking Next >.

	License Agreement	
MICF	OSOFT SOFTWARE LICENSE TERMS	
MICF	OSOFT SQL SERVER 2005 EXPRESS EDITION SERVICE	10
Micr live read abov rece	e license terms are an agreement between osoft Corporation (or based on where you , one of its affiliates) and you. Please them. They apply to the software named e, which includes the media on which you ived it, if any. The terms also apply to any osoft	
	updates.	
	supplements,	
:	Internet-based services, and	
	Internet-based services, and support services	,

17. Click **Install** to continue.



18. Click **Next >** to continue after the required components have been installed correctly.

talling Prerequisites Installs software components required prior to installing SQL Server.	
SQL Server Component Update will install the following components required for SQL Server Setup:	*
 Microsoft SQL Native Client Microsoft SQL Server 2005 Setup Support Files 	
The required components were installed successfully.	

19. The SQL Server will scan your computer.



20. After the system check, click **Next** > to continue.

	Vait while the system is checked for pot problems.	ential installation		
0	Success	13 Total 12 Success	0 Error 1 Warning	
Deta	sils:	12	10	_
-	Action	Status	Message	
2	Minimum Hardware Requirement	Success		
2	Pending Reboot Requirement Minimum MDAC Version Requirement	Success		
õ	Edition Change Check	Success		
	Filter •	Stop	Report	

21. Wait as the SQL Server is installed.

	t SQL Server Installation preparing to continue with the installation.
1	Please wait while setup prepares to continue with the installation.
	Status: Detecting Installed IIS

22. Enter the registration information (name and company name) and click **Next >** to continue.

	ation on will personalize your installation	n
The Name field must be	filled in prior to proceeding. The	Company field is optional.
Ngme:		
Customer Name		
Company:		
Company Name		
	iguration options	
Hide advanced confi		

23. Click **Next** > to continue selecting the default values and installing your software.

Feature Selection Select the program features you want installed.	
lick an icon in the following list to change how a feat	Peature description Installs the SQL Server Database Engine, tools for managing relational and XML data, and replication. This feature requires 117 MB on your bard drive. It has 3 of 3 subfeatures
Installation path	selected. The subfeatures require 124 MB on your hard drive. Browse

24. Click **Next >** to continue selecting the default values and installing your software.

The authentication Mode connecting to SQL Serv	le specifies the security	used when	G
Select the authentication	on mode to use for this	installation.	
O Windows Authentica	ation Mode		
Mixed Mode (Windo	ws Authentication and	SQL Server Authentica	tion)
Specify the sa logon pa	ssword below:		
Enter password:			
Confirm gassword:			
Help	< 8ac	Next > N	Cancel

25. Click **Next** > to continue selecting the default values and installing your software.



26. Click **Next** > to continue selecting the default values and installing your software.

Error and Usag Help Microsoft in and services.	e Report Sett prove some of th	100 Mar 100	05 components	La
2005 when an en	Error reports inclu or occurred, your	ude information hardware confi	regarding the cond	Gata, Error reports
	us information ab		rver 2005 to Micros are configuration a	soft. Usage data nd how you use our
By installing Microsof automatically send fi Server. Microsoft us information as confic	atal service error r es error reports to	reports to Micros	oft or a Corporate	Error Reporting

27. Click **Install** to continue selecting the default values and installing your software.

Setup is ready to b	egin installation.			
			rogram files. To proce 'o exit setup, click Can	
SQL Ser (Database Sen	components ver Database rices, Replicatio imponents omponents)	Services	alled:	

28. A progress screen will pop up.

SQL Server setup is preparing to make the requested configuratio	thanges

29. Click **Next** >> to continue selecting the default values and installing your software.

Etup Progress The selected components are being config	ured
Product SQL Setup Support Files SQL Native Client SQL VSS Writer SQL Server Database Services Workstation Components, Books Onlin	Status Setup fnished Setup fnished Setup fnished Setup fnished Setup fnished
Help	< <back next="">> N</back>

30. Click **Finish** to finish the SQL Server Installation and continue the AMAYA OS installation.



31. Multiple loading screens will pop up and then disappear. The next window to pop up and stay will ask if you would like to install the Update Agent. The Update Agent will allow you to update your software via the internet. It is recommended that you install the Update Agent. Click **Yes** to begin the installation



32. The Update Agent will install. Click **Close** when it is complete.



33. Click **Yes** on the next window to have AMAYA software icons appear on your desktop.



34. If AMAYA OS is being install on a 64 bit Windows environment, an error window will pop up stating that installation support file could not be removed. This does not matter for the 64 bit environment. Click **ox** to complete the installation of AMAYA OS.

AMAYA OS	
8	An installation support file 'C:\Windows\System32\Drivers\AMAY7b47.rra' could not be removed. Invalid access to memory location.
	ОК

35. If you are loading DesignShop, the installation wizard will continue into the DesignShop installation. If you are only installing AMAYA OS, the installation wizard will prompt you to restart your computer. If this is the case, click **Finish** to exit the wizard and restart your computer.

Setup	
	InstallShield Wizard Complete
	The InstallShield Wizard has successfully installed your application(s). Before you can use the program, you must restart your computer.
	F Yes, I want to restart my computer now.
A	No. I will restart my computer later.
BI	1
	< Back Finish Cancel

Install DesignShop

If continuing from the AMAYA OS Installation, skip to step 5.

- 1. If the DVD did not begin running, eject and reinsert it. An AutoPlay window should pop up. Choose the "Run setup.exe" from the options provided.
- In the setup window, check only the software that you purchased from Melco. Note that the software names are not level-specific. Placing a check mark beside "AMAYA - AMAYA OS" will load AMAYA OS Lite, SE, or Flex+ depending on the presence or level of your security keys. The same applies for DesignShop.

Since you are installing DesignShop, make sure that is checked.

elect the applications you wish to	install	
One or more applications may be installe checkbox	d by placing a checkmark in the correpor	nding
AMAYA - AMAYA OS and the AMAYA	A machine operation software	
Design Shop Demo - Demonstration		
P	Design Shop to embroidery machines	
ENS · A tool for sending designs from	Design Shop to embroidery machines	Clear All

- 3. Click Next >.
- 4. A setup confirmation window will appear. Click **Next** > to begin installation.



5. The AMAYA OS InstallShield Wizard will start. Click Next > to continue.

	Welcome to the InstallShield Wizard for Design Shop Pro / Pro +
	The InstallShield® Wizard will install Design Shop Pro / Pro + on your computer. To continue, click Next.
习	
N	
P.	

6. Read and Agree to the license agreement by clicking Yes.



 Select the options you want to install. It is recommended to install the Program Files, Embroidery Alphabets, Sample Designs, and Adobe Acrobat Reader. Design Database is optional. Click Next >.

Select Components	
Select the options you want to insta	st. 🖉
Select components to install	
Program Files (installs all files ne	
Embroidery Alphabets (used for	
Sample Designs (Melco supplier	d embroidery designs)
White territed Device friedly	
	r displaying embroidery alphabet information)
Adobe Acrobat Reader (used fo	r displaying embroidery alphabet information)
	r displaying embroidery alphabet information)
	r displaying embroidery alphabet information)
	r displaying embroidery alphabet information)
Design Database (a tool used fo	r displaying embroidery alphabet information)
	r displaying embroidery alphabet information) ar cataloging designs)

8. Confirm the installation location. Melco recommends the default location. Click Next >.

Choose Destination Location Select folder where Setup will install fil	les:	
Setup will install Design Shop in the fo		
Destination Folder		
		and the second sec

9. Confirm the design installation location. Melco recommends the default location. Click Next >.

Choose Destination Location	1	6
Select folder where Setup will		2
Setup will install Sample Desig	ns in the following folder.	Case
Destanting Fully		
Destination Folder		
Destination Folder C:\Designs		Browse
The second second		Browse

- 10. If Design Database was selected, another window will pop up confirming the installation location. Melco recommends the default location. Click **Next** >.
- 11. Review the chosen settings and click **Next** > to continue and begin the file copying.

Start Copying Files	
Review settings before copying	Nes.
Setup has enough information to change any settings, click Back copying Res.	a start copying the program files. If you want to review or . If you are satisfied with the settings, click Next to begin
nstalSheld	

12. An "Extracting Files" window may pop up.

Extracting Files	×
Extracting File: To Directory:	.\install.exe c:\7db5f3ec9877205dcd50f44fe6b7

13. An installer for Adobe Reader will run. Please follow the installation instructions. If a more recent version of the reader is found on your computer, the installer will abort.

Adobe Reader - Setup	
<u>ک</u> .	
Please wait while the Adobe Reader 8.1.0 Setup is b	eing processed. This will take some
time depending on your operating system and hard	
Processing Adobe Reader	73%
Processing Adobe Reader	7.3 %

14. If the installer is aborted, you may see a window stating that the program did not install correctly. Please just close that window by clicking on "This program installed correctly".

Program Compatibility Assistant	
This program might not have installed correctly	
If this program didn't install correctly, try reinstalling using settings that are compatible with this version of Windows.	
Program: Adobe Bootstrapper for Single Installation Publisher: Adobe Systems Incorporated Location: C:\Users\nmoore\AppData\Local\Tem\Setup.exe	
Reinstall using recommended settings	
This program installed correctly	
Cancel	
What settings are applied?	

15. Click **Yes** on the next window to have DesignShop software icons appear on your desktop.



16. Click **Finish** to exit the wizard and restart your computer.

Setup	InstallShield Wizard Complete The InstallShield Wizard has successfully installed your application(s). Before you can use the program, you must restart your computer. Yes, I want to restart my computer now. No, I will restart my computer later.
BL	Cancel

Security Keys

Depending on the level of your software, you have received security key(s). The software installer will load drivers for them and then ask that you plug them into your computer.

As these security keys allow your software to run in the level you purchased, it is extremely important that they not be lost.

If you are unsure of the level of software purchased, or the need of security keys, a table can be found in the software levels section.

AMAYA OS Software Levels

AMAYA OS comes in multiple levels. Each level has different features and requirements. Check with your Melco sales representative for the level that best suits your needs.

Software Level	Description	Dongle Required
AOS Lite	The lightest version of the AMAYA OS software line. This version is most commonly used to communicate with BRAVO machines.	NO
AOS SE	Used for single machines or to network a few BRAVO machines.	YES*
AOS Flex+	The most powerful of the AMAYA OS software line. This level of software has access to all major features. Flex+ can be used to network many machines. It can be used with all AMAYA machines except the BRAVO.	YES*

* With the AOS V10 security key attached to your computer, you can also load DesignShop Lite without needing an additional DesignShop security key.